

8 Channel Long-Range Tactical Drone Jammer Gun

MODEL: D-FENDER Z09

The D-FENDER Z09 effectively disrupts the signal between a drone and its controller, forcing it to return or land. With a powerful range of 1500 to 2500 meters, it's ideal for securing sensitive areas against unauthorized drone activity.



PRODUCT FEATURE:

- **High Power Output:** 200W jamming power disables drones up to 1500 meters in just 3 seconds.
- **8-Band Coverage:** Supports 433MHz, 900MHz, 1.2GHz, 1.4GHz, 1.5GHz, 2.4GHz, 5.2GHz, and 5.8GHz—covering all major drone control frequencies.
- Independent Band Control: Each frequency band is individually controlled via separate buttons for precise jamming.
- Lightweight & Ergonomic: Compact 5.4 kg design with a non-slip handle for easy handling.
- Dual Removable Batteries: Provides 80–90 minutes of continuous operation.
- LCD Display: Real-time battery capacity and voltage monitoring.
- Advanced Cooling: Features an ultra-thick heatsink and custom cooling structure for stable, long-term use.
- **Durable Build:** IP55-rated—waterproof, heat-resistant, shockproof, and impact-resistant.

HOW TO USE:

- Check the LCD screen to ensure the jammer is fully charged.
- Select the desired frequency band by pressing the corresponding button as per the band chart.

contact@javiataerospace.in

- Aim the drone jammer gun at the flying drone in the sky.
- Press the selected button(s) to activate the jamming function.
- The drone will be forced to return to home or land immediately.









Usually below channels pressed, the jammer can counter

> 95% jammer in the market.

Channel: 2.4 Ghz Channel: 5.8 GHz Channel: 1.5 GHz

TECHNICAL SPECIFICATION:

Model No.	D-FENDER Z09
Size	820*300*80mm
Weight	6.45kg
Effective Range	2000-2500 meter, depends on real environment
Frequency & Output Power	410-485 MHz (433 MHz) 10W
	840-920 MHz (900MHz) 10W
	1100-1280 MHz (1.2 GHz) 10W
	1300-1390 MHz (1.4 GHz) 10W
	1560-1620 MHz (1.5 GHz) 30W
	2400-2500 MHz (2.4 GHz) 50W
	5150-5350 MHz (5.2 GHz) 30W
	5725-5850 MHz (5.8 GHz) 50W
	Total 200W
Inside Antenna Gain	433Mhz /5dBi
	2400MHz /14dBi
	2400MHz /14dBi
	GPSL1-L5 (1.2G/11dBi, 11.5G/12dBi)
	5800MHz /16dBi
	5200MHz /16 dBi
	900MHz. /9 dBi
Output Power	Total 200 Watt
Battery Backup	40-50 minute
Working Temperature	-40°C to +65°C
Power Supply	24V 10A inside lithium-ion battery
	(It can be designed to connect the external battery)
Relative Humidity	35~85%







APPLICATION:

To avoid the rapidly emerging threat by UAV, our jammer can be used in below recommend places:

- Government: Prison, Court, Military, Police, other Law enforcement, etc.,
- Infrastructure: Petrol Station, Oil Depot, Gas Station, Airport, Drug rehabilitation centers, Security agency, etc.,
- Public & Events: Stadium & Events, Important Meetings, etc.,
- Transportation: Port & marine, Superyachts, etc.,
- Detention Centers, School (examination, library ,etc.,) Theatre, Church, Hospital, etc.,
- Personal VIP & Privacy, etc.,



CAUTION:

- All band open at same time will consume large power. (please use it less than 10 minute to lengthen the battery life time)
- Please fully charge the jammer before use.
- Please ensure the jamming frequency is suitable for your own need, or it cannot be used effectively.
- Forbidden to use while charging.
- Barriers between the UAV and jammer will influence the jamming distance.





FULL SET PACKING:

- 1pcs * Drone Jammer
- 2pcs * Battery
- 1pcs * Charger
- User manual be offered online



CUSTOMER SERVICE:

- User Instructions: Comprehensive user guidance will be provided through detailed photo illustrations and instructional videos. On-site training is available upon request at an additional cost.
- Online Technical Support: Our experienced engineers are available to assist you with any technical queries or operational issues.
- Warranty & Service Commitment: We are committed to fulfilling all agreed responsibilities within the warranty period to ensure product performance and satisfaction.
- Training & Maintenance: Complimentary training sessions and guidance for routine maintenance will be provided to help maximize the life and functionality of the product.
- Customer Support: We ensure prompt responses to all customer feedback and inquiries.
- Warranty Coverage: All products come with a standard 1-year warranty and lifetime maintenance support.

